

2022-015SIG 7Eleven



045	539	OFFIC	E USE ONLY
AMOUNT DUE: \$	75.00	DATE PAID:	3232022

LICENSE#: 12375 DATE PAID: 323 /2022

called I/m 3.22.2022

	Today's Date: 3/16/2022	
ŧ.	7510.120	
	Name of Business 7Eleven Alternate Phone	
	Street Address of Business 915 St. James Ave. Goose Creek	, SC 29445
	Landlord/Lessor Encore - Myers Redad LLC Landlord's Phone	<u>,</u>
	Sign Company Sky/ine Sign S UC Sign Co. Phone	
	Sign Co. Contact NICK Bruno Sign Co. Address	
2.	Cost of Sign(s) \$ Sign Installation Cost \$	Total Cost \$
3.	How many signs are you applying for? How many signs does this bus	siness already have?
1.	What kind of signs does this business already have? <u>NONE - NW GAS S</u>	tation None
5.	What type of business is applying for this sign permit: A. A stand alone business? B. A part of a shopping center? Yes No If yes, shopping center name	ie:
5.	What is the TMS number for this property? 223 - 13 - 04 - 004	
7.	What is the <u>front</u> setback of the business in feet? <u>MO</u> (The distance from the front p. A. For corner lots only, what is the front setback for second street frontage in feet?	
3.	What is the width of the business in feet? 1/5 (The distance from wall to wall) A. For corner lots only, what is the width of the business for second street frontage in	
9.	What is the property's road frontage in feet? 240 (This only applies to shopping co	enters erecting a freestanding sign)
10.	Please attach photos showing:	
	 A. The storefront in relation to adjacent businesses; B. The specific location of proposed sign(s) on the property or building; and 	OFFICE USE ONLY
	C. The actual sign if it already exists.	MAX. NO. OF ALLOWED SIGNS: *
11.	Please attach drawings of each proposed sign showing (drawn to scale):	MAX ALLOWED SIGN AREA:*
	A. The completed sign as it will actually appear on the building	
	B. All dimensions;	St James Av max 3 signs/172.5 sf allo

E. The location on the building of proposed & existing building signs

Meyers Rd. - max 2 signs/49.35 sf meets length of building multiplied by 1

12. Please attach swatches, samples, and/or paint chips of all proposed colors to the application.

D. The location on the property (on a plat) of proposed & existing freestanding signs

13. Please complete the Sign Information Table located on the following page.

C. Where the colors will appear;

- 14. You are required to attend the Architectural Review Board meeting in which your sign application is reviewed.
 - The ARB meets on the 3rd Monday of each month. (Please see ARB schedule for application deadlines and meetings.)

NOTE: Illuminated, exposed and non-exposed neon signs located on the interior of a business, which are visible from the exterior of the business, must be reviewed by the ARB. Such signs shall be included as part of a business's maximum allowable square footage of building signage, as authorized in Section 151.084 of the City Code. A "non-exposed neon sign" shall be interpreted as a neon sign that does not have externally visible neon tubing. Neon signs enclosed in plastic, glass and Plexiglas casings are considered "exposed neon signs." All electrical work must be in accordance with the City's Code of Ordinances and the National Electrical Code.

these signs total 128.68 as applied for.

Required Information	Meyers Rd.	St. James A	The Roost
Materials: (metal, plastic, wood, etc.)	Metal/Plastic	metal/plastic	metal/Plastic
Illumination: Exterior, interior or not lighted	Interior	Interior	Interior
Type of Sign:	Channel letters	Channel Letters	Reverse like Channell
Height (FEET)	霉8′	7'	3.5.74 ′
Width (feet)	6' 1.75"	6'5"	8.6'
Area (square feet)	49.1	455F	49.15F
All colors used on sign	TEleven Colors	7 Eleven Colors	Black + Red
Is there a graphic (picture) on the sign? (Y/N) If yes, size of graphic	NO	No	NO
Projection from building or cabinet width (thickness)	5"	8,5"	\$ 4.511+ 4.687
Number of styles of lettering	Logo Sign (1)	Logo Sign (B)	Raise the Roost (1)
Height of letters (if channel letters)	8'	71	7", 36", 21.5", 6"
If mounting individual letters, space between letters	111		Normal Font Spacing
If mounting individual letters, space between words			Sel Design for Refer
If window sign, size of window			
If changeable copy sign (reader board), number of lines		_	
If freestanding sign, distance between sign and street curb (ft)			
If freestanding sign, total height above grade (ft)			
If freestanding sign, landscaping materials to be planted at base of sign			

Required Information	Monument E	D- Sign 2	Cangny
Materials: (metal, plastic, wood, etc.)	Metal Plastic	metal/Plastic	metal Plastic
Illumination: Exterior, interior or not lighted	Interior	Interior	Interior
Type of Sign:	Monumen +	Drectional	Canopy Channel Lotte
Height (FEET)	3 41 6.5"	3'2'x1.5	2.5'
Width (feet)	9'7"	1.51	13.83'
Area (square feet)	49.85F	<i>35F</i> 3 sf ea.	34.55F
All colors used on sign	FEleven Colors Black	& 7 Eleven Colors	7 Eleven Colors
Is there a graphic (picture) on the sign? (Y/N) If yes, size of graphic	NO	NO	NO
Projection from building or cabinet width (thickness)	18"	8.625"	411
Number of styles of lettering	2	1	/
Height of letters (if channel letters)		-	30'1
If mounting individual letters, space between letters			
If mounting individual letters, space between words			
If window sign, size of window			-
If changeable copy sign (reader board), number of lines	3 Gas Price Scrollers		
If freestanding sign, distance between sign and street curb (ft)	10Ft	5FE	
If freestanding sign, total height above grade (ft)	8AL	3ft	
If freestanding sign, landscaping materials to be planted at base of sign	Stone to match Building	Direct Birial	


Review the attached Zoning Ordinances pertaining to sign regulations (Section 151.084). Be advised to examine them thoroughly so as to avoid violations (Section 151.999):

By signing below, you certify the above information that y Signature of Applicant	you provided to be true and correct.	3/10/2022 Date
Remarks:	OFFICE USE ONLY	
Approval: Zoning Administrator	Issued by:	Date:

Materials: (metal, plastic, wood, etc.) Illumination: Exterior, interior or not lighted	Metal/Plastic Interior Drectional		
Illumination: Exterior, interior or not lighted	Interior		
	N 1" 1		
Type of Sign:	Drectional		
	3'		
Width (feet)	1.5'		
Area (square feet)	38F	8 000 250 E-000-0-0-0-0	AND A BANGA AND AND AND AND AND AND AND AND AND AN
All colors used on sign	1 Eleven Colors		
To these a complia (winters) on the	No		
Projection from building or cabinet width (thickness)	8.625"		
Number of styles of lettering	/		
Height of letters (if channel letters)	-		
If mounting individual letters, space between letters			
If mounting individual letters, space between words	_		
If window sign, size of window	•		
If changeable copy sign (reader board), number of lines	9 9 55°		
If freestanding sign, distance between sign and street curb (ft)	5Pt		
If freestanding sign, total height above grade (ft)	3Ft		
If freestanding sign, landscaping materials to be planted at base of sign	3Ft Diret Buial		


Review the attached Zoning Ordinances pertaining to sign regulations (Section 151.084), Be advised to examine them thoroughly so as to avoid violations (Section 151.999):

By signing below, you certify the above information that you pro-	vided to be true and correct.	3/16/2022 Date	
OFFICE Remarks:	CE USE ONLY		
Approval: Zoning Administrator	Issued by:	Date:	





FRONT VIEW (W/FACE)



PRIMARY LEADS 1/2" CONDUIT-BLACK, WHITE, (100-240 VAC) AND GREEN (GROUND) (UL) APPROVED 100 WATTS 1/2" STR, CONNECTOR (UL APPROVED) TOP TBOTTOM : E L UL POWER SUPPLY ENCLOSURE W/ SWITCH-

GENERAL NOTES
INSTALLER TO PROVIDE COMPLETION PHOTOS OF MOUNTING/CONNECTION POINTS, WIRE ROUTING AND OVERALL ELEVATION.

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRIC CODE AND/OR OTHER APPLICABLE LOCAL CODES, THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

INSTALLER TO VERIFY SIGN IS PROPERLY INSTALLED, CONNECTED AND GROUNDED.

THIS DRAWING IS FOR INSTALLATION PURPOSES ONLY AND NOT TO BE USED FOR MANUFACTURING.

INSTALLATION INSTRUCTIONS 1. OPEN PACKAGING CAREFULLY AND INSPECT FOR DAMAGE. IF DAMAGE IS FOUND,

- CLAIM MUST BE FILED WITHIN 5-DAYS WITH SHIPPING AGENT.
 2. DETERMINE SIGN LOCATION AND TAPE UP THE TEMPLATE (IF PROVIDED) ON THE
- SURFACE TO WHICH IT WILL BE INSTALLED, RECEIVE CONFIRMATION FROM CLIENT
- LAYOUT AND PRE-DRILL ALL REQUIRED MOUNTING AND ELECTRICAL HOLES.
- FILL ALL HOLES WITH SILICONE PRIOR TO MOUNTING THE LETTERS.
 ALIGN LETTERS TO MATCHING PRE-DRILLED HOLES WHILE INSERTING FASTENERS
- THROUGH LETTERS, WALL AND BLOCKING (AS REQ'D), FASTEN WITH HARDWARE, USE PVC SLEEVES TO PROTECT WALL FINISH OVER SHEATHING (IF NECESSARY).
- MAKE FINAL ELECTRICAL HOOK UP TO PRIMARY WIRING OF POWER SUPPLIES THROUGH DRILLED ELECTRICAL HOLES.
- TEST LIGHT FOR PROPER FUNCTION AND ILLUMINATION. PERFORM TOUCH-UP AS REQUIRED
- CLEAN INSTALLATION WORK SITE OF ALL EXCESS MATERIALS AND DEBRIS. DO NOT DISCARD ANY MATERIAL OR DEBRIS INTO ON SITE DUMPSTERS.

WIRING DIAGRAM

(SUPPLIED BY EVERBRITE)


UL LISTED CONDUIT AND FITTINGS

INSTALLER TO PROVIDE MOUNTING HARDWARE

SCALE: NTS

ELECTRICAL SPECIFICATION: LEDS: GE GEMX2471-1 WHITE, 54 MODULES, (36'-0") POWER SUPPLY: (1), GE #GEPS24-100U-NA INPUT: 120-277V .35 AMPS EACH

OUTPUT: 24VDC TOTAL: (.35 AMPS) @120V USE QTY OF (1), 20 AMP CIRCUIT



1/4" DIAMETER ANCHOR SCHEDULE			
WALL CONSTRUCTION	ANCHOR	COMMENTS	EXAMPLE
MINIMUM 1/2" PLYWOOD	WOOD SCREW	APA ENGINEERED WOOD ASSOCIATION FASTENER LOADS FOR PLYWOOD - SCREWS	
WALL CONSTRUCTION	THRU BOLT WITH ANGLE OR UNISTRUT ACROSS STUDS	USE APA ENGINEERED WOOD ASSOCIATION FASTENER LOADS FOR PLYWOOD - BOLTS	
WOOD BLOCKING ATTACHED TO STUDS	LAG BOLTS (1 1/2" EMBEDMENT INTO BLOCKING)	STEEP REDUCTION FOR COMBINED WITHDRAWL AND LATERAL LOADS	
	SLEEVE ANCHOR (1 1/2" MINIMUM EMBEDMENT)	SEE HILTI TECHNICAL GUIDE	
BRICK, CONCRETE BLOCK, SOLID CONCRETE	TAPCON	1" EMBEDMENT INTO HOLLOW BLOCK	Himininio .
	HILTI HIT HY 20 OR EQUAL	SEE HILTI TECHNICAL GUIDE	
NOTE: ALL ANCHORS TO BE THRU BOLTS IF POSSIBLE, USE ALTERNATE ANCHORS PER WALL TYPE SHOWN ABOVE IF THRU BOLTING IS NOT POSSIBLE. ALL ANCHORS TO BE CHOSEN AND PLACED IN ACCORDANCE WITH THE MANUFACTURER'S INSTALLATION INSTRUCTIONS.			

PRAWN BY TECHNO-USK INSTALLATION LTR, 7ELEV 30" TRAD TRIMLESS LED **DRAWING** DATE 11/24/20 STANDARD DRAWING 4949 SO, 110TH ST. THESE DRAWINGS ARE THE EXCLUSIVE PROJECT NO. DRAWING NO P.O. BOX 20020 CHECKED BY PROPERTY OF EVERBRITE, LLC. USE OF, OR DUPLICATION IN ANY MANNER WITH-CJB GREENFIELD, WI 53220 B 06/30/21 EMOUS CJB SIGN DEPTH CHANGE В 8 414-529-3500 438257 IN438257B OUT EXPRESS WRITTEN PERMISSION OF EVERBRITE, LLC. IS PROHIBITED. A 11/24/20 FORUS C.IB RELEASED FOR INSTALLATION SCALE AS SHOWN 11/24/20 REV DATE BY CHK DESCRIPTION







Prepared Exclusively for 7-Eleven #42080 915 ST. JAMES AVE.

Everbrite

GOOSE CREEK, SC 29445


January 27, 2022

Account Manager: Megan Grossmueller mgrossmu@everbrite.com (414) 529-7164





Site Plan





Address: 915 ST. JAMES AVE., GOOSE CREEK, SC 29445 Description: 7-11/Roost Brand Book

Customer/Site No: 7ELEV42080

Date: 01/27/21
Customer Signature:

Project No: 457726-6







GENERAL SPECIFICATIONS:

Materials:

Extruded aluminum cabinet & retainers painted green

Face Decoration:

Formed solar-grade polycarbonate faces with single embossed graphics
Trapline proportional to logo field

Cabinet Depth:

6.75"

Area Squared: 45 Sq. Ft.

Wind Load:

Special/High Wind Load / 58 PSF

ELECTRICAL:


Internal Illumination:

GE Tetra Rayz White LEDs

LED Power Supply:

1 Channel 24V POWER SUPPLY 4 AMPS @ 120VAC

COLORS:



Rendering

To grade promote only and not intended for shall committee the shall be shall b

7' Single-Faced Keystone Wall Sign - Sign A

NTS



rbrite, LLC • 4949 South 110th Street • Greenfield, WI 53228 • www.everbrite.c

Customer/Site No: 7ELEV42080 Prepared By: T. Heesen


Address: 915 ST. JAMES AVE., GOOSE CREEK, SC 29445


Description: 7-11/Roost Brand Book Customer Sign

Date: 01/27/21 Customer Signature: Project No: 457726-6




Building Signage









GENERAL SPECIFICATIONS:

Materials:

Extruded aluminum cabinet

Face Decoration:

Solar-grade polycarbonate faces vinyl graphic

Cabinet Depth:

Area Squared: 49.1 Sq. Ft.

Wind Load:

Special/High Wind Load / 58 PSF

ELECTRICAL:

Internal Illumination:

GE Tetra Rayz White LEDs

LED Power Supply:1 Channel 24V POWER SUPPLY 4 AMPS @ 120VAC

COLORS:



ALL ELECTRICAL CONNECTIONS TO BE MADE IN ACCORDANCE WITH LOCAL, STATE, AND NATIONAL WIRING CODES




Boxed Area: 49.1 SF



8' 7-Eleven Wall Channel Logo (Face & Halot Lit) - Sign G




Building Signage





Front View: NTS

1/4" FASTENERS W/ BLOCKING (TYP) TRANSFORMER BOX W/ POWER SUPPLY BACK-FACE/ RETURN -RUBBER GROMMET CLASS II LED WIRING TO REMOTE POWER SUPPLY DISCONNECT SWITCH BY G.C. 120 VAC (60Hz) INPUT LED LOGO & 'RAISE THE ROOST' SECTION DETAIL EQUIPMENT GROUNDED NOT TO SCALE PRE-DRILL HOLES FOR **FASTFNFRS**



Tagline Side View: NTS

GENERAL SPECIFICATIONS:

Materials:

Extruded aluminum cabinet - Clear acrylic with cavity routed from back.

Face Decoration:

Red accents on "Roost" to be face-illuminated. Returns to be opaque

Cabinet Depth:

1.1875" & 3"

Area Squared:

49.1 Sq. Ft.

Wind Load:

Special/High Wind Load (MPH): 58 PSF

ELECTRICAL:

Illumination:

Logo to be Halo-Illuminated.

"Raise the" & "Roost" copy to be Halo-illuminated

CHICKEN & BISCUITS TO BE FACE & HALO-ILLUMINATED

Internal Illumination:

GE Tetra Rayz White LEDs

LED Power Supply:

1 Channel 24V POWER SUPPLY 4 AMPS @ 120VAC

COLORS:








Routed Acrylic / Halo Illuminated Roost Letter Set - Sign C

NTS

PAGE 5 OF 12





GENERAL SPECIFICATIONS:

Materials:

Routed aluminum revealing push-thru acrylic

Area Squared: 3.3 Sq. Ft.

Windload: Standard Wind load - Wind Speed / 35 PSF

EVERBRITE TO PROVIDE, ROUTE AND SECURE ACRYLIC TO ROUTED ALUMINUM SIGNROUTED ALUMINUM SIGN AND ADDITIONAL ELEMENTS PROVIDED BY MAPES

COLORS:




NOTE: FINAL DIMENSIONS TO BE DETERMINED BY FINAL ENGINEERING
-CANOPY FASICA SECTION PROVIDED BY MAPES
-MAPES SHIPS CANOPY FASICIA SECTION TO SIGN MANUFACTURER TO BE
-ROUTED OUT FOR INSTALLATION OF COPY
-SIGN MANUFACTURER SHIPS CANOPY FASICIA SECTION W/ INSTALLED
-WELCOME* LETTERS TO SITE FOR GC TO INSTALL ON CANOPY.




Routed Out Push-Thru Copy (Canopy Mount) - Sign B

NTS









TBD"+/- (verify) 3M-3630-26 GREEN VINYL TBD"+/- (verify) 3M-3630-44 ORANGE VINYL

3M-3630-33 RED VINYL

TBD"+/- (verify)





BAND SET

Tri-Stripe Band Set - Sign H

FIELD SURVEY REQUIRED



Customer/Site No: 7ELEV42080 Prepared By: T. Heesen Date: 01/27/21

Address: 915 ST. JAMES AVE., GOOSE CREEK, SC 29445 Description: 7-11/Roost Brand Book

Customer Signature:

Project No: 457726-6



Building Elevation



CODE INFORMATION:

Formula: 1 sf per lineal foot of wall width. Cannot exceed 200 sf or 20% of wall(whichever is less)

Front Elevation:	
Allowed:	104.2 Sq Ft
Proposed:	94.1 Sa Et

Left Elevation:		
Allowed:	85.9 Sq Ft	
Proposed:	49.1 Sq Ft	



2 RIGHT SIDE ELEVATION

Everbrite, LLC • 4949 South 110th Street • Greenfield, WI 53228 • www.everbrite.com

1) RIGHT SIDE ELEVATION

Customer/Site No: 7ELEV42080 Prepared By: T. Heesen

Address: 915 ST. JAMES AVE., GOOSE CREEK, SC 29445
Description: 7-11/Roost Brand Book

Date: 01/27/21 Customer Signature: Project No: 457726-6



Monument Sign



Square Footage:		
Allowed:	50 Sq Ft	
Proposed:	49.8 Sq Ft	

OAH:	
Allowed:	10 Ft
Proposed:	8 Ft

Setbac	k Info:
Allowed:	10 Ft
Proposed:	10 Ft

Brick base to match building - provided by others.

Project No: 457726-6

| Front Elevation - M25 Monument Sign Structure - Sign E

3/4" = 1' 0" *Must be printed at actual size for scale to apply



Customer Signature:




Directional

4 Sq Ft

3 Sq Ft

3 Ft

3 Ft



- Double-Faced Internally-Illuminated Directional Sign Cabinets
- Cabinet with 1" Retainers to be painted SW 6258 Tricorn Black
- 3/16" White Polycarbonate Faces with Translucent Vinyl Applied
- · Pan-Flat Faces with Graphics Applied 1st Surface
- Internally-Illuminated with GE TETRA Rayz LEDs



Project No: 457726-6







Rena.

Jorgin
constitució
dimensions a

Jos gipple purpose only and not member for details constructed memorators. For windows deplacements, adult dimensions and monthly detail, placed with it find applicating specifications and find displaced and proposing specifications and retail displaced and proposing specifications and retail displaced.

Display Sq Footage: 3 SF

UL 48 & NEC COMPLIANT

Directionals - Sign D

3/4" = 1' *Must be printed at actual size for scale to apply



verbrite, LLC • 4949 South 110th Street • Greenfield, WI 53228 • www.everbrite.co


Customer/Site No: 7ELEV42080 Prepared By: T. Heesen


Address: 915 ST. JAMES AVE., GOOSE CREEK, SC 29445 Date: 01/27/21

Description: 7-11/Roost Brand Book Customer Signature:

7-ELEVEN®

PAGE 10 OF 12





- 5" Deep Returns Painted to match face colors
- Trim Capless
- .177" White Acrylic Faces with Translucent Vinyl Applied
- Internally-Illuminated with White GE Tetra Rayz LEDs
- · Weep Hole Covers

Area: 34.5 SF UL 48 & NEC COMPLIANT 3M 3630-44 Orange 3M 3630-33 Red



-ELECTRICAL PASS THRU SIGN FACE (9) 7/8" DIA: ELECTRICAL INLET -PROVIDE UL LISTED CONDUIT & IG,AND MOUNTING HARDWARE) (SEE WIRING DIAGRAM) SEAL ALL PENETRATIONS! NOTE: DETAIL SHOWN MAY NOT REFLECT THE ACTUAL WALL CONSTRUCTION AS WALL TYPES VARY PER SITE. IT IS THE INSTALLER'S RESPONSIBILITY TO IDENTIFY THE ACTUAL CONSTRUCTION AND ADAPT THE INSTALLATION ACCORDINGLY. (67) 1/4* DIA,FASTENER WIBLOCKING (AS REO'D) (TYPE & LENGTH T.B.O. BY INSTALLER ON SITE.) SEE INCLUDED ANCHOR SCHEDULE FOR PROPER FASTENER SELECTION,) USE PVC SLEEVES TO PROTECT WALL FNISH(IF REO'D WEEP HOLES W/ BAFFLE TYP.

TYPICAL VIEW



NTS

Customer/Site No: 7ELEV42080

Front View & Side Mounting Detail - 30" Internally-Illuminated Remote Channel Letters - Sign F

Address: 915 ST. JAMES AVE., GOOSE CREEK, SC 29445

Description: 7-11/Roost Brand Book

Customer Signature:

Prepared By: T. Heesen Date: 01/27/21

Project No: 457726-6

PAGE 11 OF 12

Canopy Signage



County will review case-by-case, not regulated by code

LONG SIDE:

Proposed: 34.5 Sq Ft





CANOPY ELEVATION - LONG SIDE



2 CANOPY ELEVATION - SHORT SIDE

(1) CANOPY ELEVATION - LONG SIDE

Graphic Scale Date: 10/20/21

(2) CANOPY ELEVATION - SHORT SIDE

Description: 7-11/Roost Brand Book

Address: 915 ST. JAMES AVE., GOOSE CREEK, SC 29445

PAGE 12 OF 12



2022-019SIG Sky Market

PAID

OFFICE USE ONLY

PERMIT #: AMOUNT DUE: \$ DATE PAID:


75.00 03/23/2022

CITY OF GOOSE CREEK SIGN PERMIT APPLICATION

	Today's Date: 09/21/2021	Permit Fee: \$75.00
1.	Business Owner 6 linto A. Abrantes Business Phone	1107
	Name of Business Sky Mar Ket Alternate Phone	
		DOSE CKRECK SC 29445
	Landlord/Lessor Spring board Investments Landlord's Phone	
	Sign Company tublicity Sign & Krinting, Sign Co. Phone	
	Sign Co. Contact Pichard Locitor Sign Co. Address_	
2.	Cost of Sign(s) \$Sign Installation Cost \$	_ Total Cost \$
3.	How many signs are you applying for? How many signs does this busi	ness already have?
4.	What kind of signs does this business already have? e	None
5.	What type of business is applying for this sign permit: A. A stand alone business? Yes No B. A part of a shopping center? Yes No If yes, shopping center name	:
6.	What is the TMS number for this property?	
7.	What is the <u>front</u> setback of the business in feet? <u>b</u> (The distance from the front property A. For corner lots only, what is the front setback for second street frontage in feet?	roperty line to the front of business)
8.	What is the width of the business in feet? (The distance from wall to wall) A. For corner lots only, what is the width of the business for second street frontage in	feet?
9.	What is the property's road <u>frontage</u> in feet? (This only applies to shopping cer	iters erecting a freestanding sign)
10	Please attach photos showing: A. The storefront in relation to adjacent businesses;	As parties of the same of the
	B. The specific location of proposed sign(s) on the property or building; and	OFFICE USE ONLY
	C. The actual sign if it already exists.	MAX. NO. OF ALLOWED SIGNS:
11	Please attach drawings of each proposed sign showing (drawn to scale): A. The completed sign as it will actually appear on the building	MAX ALLOWED SIGN AREA:
	B. All dimensions; C. Where the colors will appear;	The second second second
	D. The location on the property (on a plat) of proposed & existing freestanding signs	
	E. The location on the building of proposed & existing building signs	
1	2. Please attach swatches, samples, and/or paint chips of all proposed colors to the applica	tion.
1	3. Please complete the Sign Information Table located on the following page.	

Note: Illuminated, exposed and non-exposed neon signs located on the interior of a business, which are visible from the exterior of the business, must be reviewed by the ARB. Such signs shall be included as part of a business's maximum allowable square footage of building signage, as authorized in Section 151.084 of the City Code. A "non-exposed neon sign" shall be interpreted as a neon sign that does not have externally visible neon tubing. Neon signs enclosed in plastic, glass and Plexiglas casings are considered "exposed neon signs." All electrical work must be in accordance with the City's Code of Ordinances and the National Electrical Code.

The ARB meets on the 3rd Monday of each month. (Please see attached ARB schedule for application deadlines and meetings.)



You are required to attend the Architectural Review Board meeting in which your sign application is reviewed.
 Please submit this application by the 1st Monday of the month for consideration that month by the ARB.

Required Information	Sign 1	Sign 2	Sign 3
Materials: (metal, plastic, wood, etc.)	STAINSTEL.	Led Sigh STANDSTEEL	
Illumination: Exterior, interior or not lighted	Led	LED.	
Type of Sign:	Channel letters	channel letters	
Height (FEET)	6.6 F7	6,6 FT	
Width (feet)	6,6 FT	17 FT	S. Price Producti
Area (square feet)			E 10 10 20 10 20 10 10 10 10 10 10 10 10 10 10 10 10 10
All colors used on sign	Due, green, yellow.		
Is there a graphic (picture) on the sign? (Y/N) If yes, size of graphic	YVO	NO	Later Town
Projection from building or cabinet width (thickness)	4"	4"	
Number of styles of lettering	2	2	
Height of letters (if channel letters)	24-4"	2" -4"	
If mounting individual letters, space between letters		St. Van St. and Ward	Late de la specia
If mounting individual letters, space between words			
If window sign, size of window			
If changeable copy sign (reader board), number of lines			
If freestanding sign, distance between sign and street curb (ft)		Torographic be designed	A to a market a series
If freestanding sign, total height above grade (ft)			
If freestanding sign, landscaping materials to be planted at base of sign			

Review the attached Zoning Ordinances pertaining to sign regulations (Section 151.084). Be advised to examine them thoroughly so as to avoid violations (Section 151.999):

9		0912112021	
Signature of Applicant		Date	
Remarks:	OFFICE USE ONL	<u>.Y</u>	

By signing below, you certify the above information that you provided to be true and correct.

Remarks:	OFFICE USE ONLY	
Approval: Zoning Administrator	Issued by:	Date:



SIGN SIDE AND ELEVATION



SKY MARKET





REQUIREMENTS


SIGN A

ТҮРЕ	CHANNELS LETTERS
ILLUMINATION	LED
MEASURES	12 x 6,6 ft

SIGN B

CHANNELS LETTERS
LED
12 x 6,6 ft

STREET VIEW - PHOTO REFERENCE





MEASSURES

SIGN B

ТҮРЕ	CHANNELS LETTERS
ILLUMINATION	LED
MEASURES	12 x 6,6 ft

FRONT VIEW

12 ft








IMPOSED IMAGE

SIGN B

ТҮРЕ	CHANNELS LETTERS
ILLUMINATION	LED
MEASURES	12 x 6,6 ft

SIDE VIEW





<u>N</u>	
ISI/	
RE	





IMPOSED IMAGE

SIGN B

TYPE CHANNELS LETTERS

ILLUMINATION LED

MEASURES 12 x 6,6 ft

PERSPECTIVE

PERSPECTIVE VIEW





Z	
0	
70	
<i>=</i>	
<u></u>	
뿠	
ш	






IMPOSED IMAGE

SIGN B

ТҮРЕ	CHANNELS LETTERS
ILLUMINATION	LED
MEASURES	12 x 6,6 ft





RELATIVE POSITION



IZ	
0	
SIC	
ГЩ	
\sim	





IMPOSED IMAGE

SIGN B

ТҮРЕ	CHANNELS LETTERS
ILLUMINATION	LED
MEASURES	12 x 6,6 ft

MOCKUP



RELATIVE POSITION



Publicity SIGN AND PRINTING

